Table Of Contents:

PAGE 1

Mounted Stones (Green, Pink, White, Red, Blue)

Unmounted Stones (Green, Pink, White, Red)
Diamond Rubber Polishers (Wheel, Points)

Bur Block III

PAGE 2

FG Mounted Stones (Green, White)

RA Mounted Stones (Green, White)

Ultra Thin Disks

Very Thin Disks

Cut Off Disks, Pin Cutters & Roughing Disks

Heatless Grinding Wheels (White, Grey)

PAGE 3

Rubber Polishing Wheels

Knife Edge Rubber Polishing Wheels

Clasps Rubber Polishing Wheels

Rubber Points (Red, Green)

Silicon Rubber Wheels

PAGE 4

BesQual Diamond Disks

Model Preparation Disks

Diamond Dresser

Sintered Diamond Burs

PAGE 5

Diamond Coated Burs

Hemostat Forceps

Scissors

Tweezers

PAGE 6

Laboratory Carbide Burs (HP Shank)

Lab. Carbide Burs Coarse-Cut Titanium Nitride Coated (HP Shank)

Lathe Carbide Burs (1/4" Shank)

PAGE 7

Carbide Burs (FG & HP Shank)

Finishing Burs (FG Shank)

Surgical Carbide Burs (FG Shank)

PAGE 8

Meta Double/Twin Pins with Metal Sleeves

Master Pins Double/Twin Pins with Plastic Sleeves

#2 Med Brass & Aluminum Dowel Pins

Carbide Drills

Reverse Dowel Pins

Dowel Pin Locators

Mandrels & Arbor Band Mandrels

Page 9

BesQual Brushes

Porcelain Brush Sets

Page 10

Bristle Brushes

Brush Wheels

Key Chains

Offset Saw and Blades

Honeycomb Firing Trays & Ceramic Pegs

Page 11

Non Precious Metals

Solder

Muslin Buffs

Felt Wheels

Polishing Compounds

Table of Contents:

Page 12

Articulators (Chrome, Brass, Plastic Disposable & Magnetic)

Mixing Bowls & Acrylic Cups

Porcelain Trays

Adhesive (Glue)

Activators (Glue Dryer)

Page 13

Diamond Coated Trimmer Wheels

Fibre Cut Disks

Model Formers for Plastic Articulators

Plaster Nipper

IWanson Gauge (Metal & Wax Calipers)

Upper & Lower Flasks

Reline Jig

2 Flasks Compressor

Page 14

Vibrators (Small, Medium & Big)

Waxing Unit

Digital Wax Heater (BesQual E100)

Wax Heater (BesQual E350)

Page 15

Digital Dipping Unit (BesQual S200)

Fire-Free Burner (BesQual S600)

Digital Wax Carvers (BesQual S500 & BesQual E420)

Page 16

Wax Carvers & Spatulas

Porcelain Sculpturing Instruments

Page 17

All Waxes

Page 18

Crucibles (Clay, Quartz)

Casting Machine

High Speed Air Handpiece

Page 19

Electric Handpieces

Marathon N1

Marathon Handy 700 Page 20

BesQual 2

Marathon 3

Marathon N7R

Page 21

Micromotor and Handpiece Parts

Marathon 103 (Surveyor & Milling Machine)

Surveyor II (Surveyor & Milling Machine)

Page 22

Zirconia Blocks & Abutments

Surgical Blades & Handles







ink stones for precious ceramic alloys White stones for non-precious metals

Red (Coral) stones for chrome cobalt alloys and non-precious metal.


Unmounted Wheels: Green Pink Red White (Box of 100pcs) #103 G301 Green G302 G303 C302C303Red White W302 W303











Cut Off Discs, Pin Cutters & Roughing Discs: Aluminum Oxide (Box of 100pcs)


32x2,2mm 35x0,7mm 35x1,7mm 40x1.0mm

Heat-less Grinding Wheels: (Box of 50pcs) #108



Rubber Polishing Wheels: #202

 $7/8" \times 1/8"$ (22mm x 3mm) (Box of 100pcs)



1005-Gray, Fine (S.C.): Finishing of all metals and porcelain.

1007-Black, Coarse (S.C.): Finishing all metals and very good for pre-polishing non-precious metals.

1037-White, Fine (A.O.): Flexible & soft for all precious metals, noncontaminating.

1039-Blue, Fine (S.C.): For metals and porcelain.

1075-Red, Fine (S.C.): Hard for all metals and porcelain

1080-Red, Fine (A.O.): Flexible for pre-polishing. Minor adjustment at thermoplastic denture and also for smooth surface acrylic.

Knife Edge Rubber Wheel:



Size: 7/8" (22mm) Box of 100pcs #203

1027 - Green, Medium (S.C.): All purpose of metals

1030 - Grey, Fine (S.C.): Finishing and hi-shining of all metals.

1038 - White (A.O.): Flexible for precious metals.

Rubber Clasp Polisher Points: #204

7/8" x 1/4" (22mm x 6.4mm) (Box of 100pcs)



1028-Grey, Fine (S.C.): Hard for polishing metals and porcelains.


1032-Brown, Regular (S.C.): Hard for polishing metals.

1035-Red, Fine (S.C.): Flexible for precious metals.

1070-Blue, Fine (S.C.): For metals and porcelain.

Rubber Points: #205

Long lasting mounted rubberized




(Box of 12pcs or 100pcs)

Silicon Rubber Wheel:

For pre-polishing porcelain and metals.

It will not scratch porcelain.

Size: 7/8" x 0.125" (22mm x 2.2mm)



Box of 20pcs #206-020 Box of 100pcs #206-100

BesQual Diamond Discs:











#109-01

#109-02

#109-03

#109-04

#109-05

#1	# 2	#3	#4	#5
#1	#2	#3	#4	#5
0.13x22mm	0.15x22mm	0.20x22mm	0.25x22mm	0.30x22mm
Single Sided	Double Sided	Double Sided	Double Sided	Double Sided
Flex	Flex	Flex		











#109-06

#109-07

	Flex	Flex	Flex	Flex
Double Sided				
0.30x22mm	0.17x22mm	0.17x22mm	0.17x22mm	0.27x22mm
#6	#7	#8	#9	#10

Model Preparation:



Available Sizes:

45mm x 0.17mm #110-4517 45mm x 0.27mm #110-4527

40mm x 0.20mm #110-4020 40mm x 0.30mm #110-4030

Diamond Dresser: #113



- Design for cleaning or reshaping diamond instruments, abrasive, polishers.
- Increase the life of abrasives & polishers by reshaping of rubber wheel, stone, points etc.

Sintered Diamond Burs: #301

(HP Shank) All metals, chrome and cobalt





- Designed for aggressive and faster grinding.
- Faster grinding time for higher productivity
- Extremely durable, long lasting and economical

4

Diamond Coated Burs: (HP Shank) #311

- > Use for shaping, grinding and finishing.
- > Great for filing ceramics, gold, platinum, silver, all metals.
- Excellent durability, long lasting and economical






<u>Titanium Nitrite Coated Carbide Burs</u>: (HP Shank) #310

Coarse-Cut: Cuts fastest for acrylics and all metals, including non-precious and chrome-cobalt. Premium Quality, Long Lasting & Non-Clogging



Lathe Carbide Burs: (1/4" Shank) #303



Carbide Burs FG & HP Shank: (Package of 10pcs) #306

Round


	Size	1/4	1/2	1	2	3	4	5	6	8
100	FG	FG1/4	FG½	FG1	FG2	FG3	FG4	FG5	FG6	FG8
	HP	HP ¹ / ₄	HP½	HP1	HP2	-	HP4	-	HP6	HP8

Inverted Cone

	Size	33-1/2	34	35	35ss	36	37	38
M	FG	FG33-1/2	FG34	FG35	FG35ss	FG36	FG37	FG38
I	HP	-	-	HP35	-	-	HP37	-

Plain Fissure Flat End

П	Size	56	57	58
U_{Λ}	FG	FG56	FG57	FG58
腳	HP	-	-	-



	Size	245
M	FG	FG245
U	HP	-

Plain Taper Fissure

A	Size	169	169L	170	171
M	FG	FG169	FG169L	FG170	FG171
Ø	HP	-	-	-	-

Pear

m	Size	330	330ss	331	332
u	FG	FG330	FG330ss	FG331	FG332
	HP	-	-	-	-

Cross Cut Fissure Flat End

	Size	556	557	557ss	558	558L
	FG	FG556	FG557	FG557ss	FG558	FG558L
ı	HP	-	HP557		HP558	HP558L

Cross Cut Tapered Flat End

	Size	699	700	701	702	703
١	FG	FG699	FG700	FG701	FG702	FG703
ŀ	HP	HP699	HP700	HP701	HP702	HP703

Cross Cut Fissure Round End Dome Fissure

7	Size	1557	1558
	FG	FG1557	FG1558
3	HP	HP1557	HP1558

Ì	Size	1157	1158
ı	FG	FG1157	FG1158
,	HP	HP1157	-

Egg (1pc) #307

L99 (1pc) #307					
M	Size	7404			
	FG	FG7404			
47	HP	-			

Needle (5pc) #308

1	Size	7901
	FG	FG7901
	HP	-

Surgical Carbide Burs: (Package of 10pcs) #309

- (: acitage o: 10pes) (: co							
Size	2	4		6		8	557
Order#	FGS2	FGS4		FGS6		FGS8	FGS557
Size	558		701			702	1557
Order#	FGS55	FGS558		FGS701		GS702	FGS1557



Meta Double/Twin Pins: #401

- Precise Fitting Metal Pin, Sleeve & Rubber Caps.
- Strong retention and no distortion.

(Box of 1,000 sets)



Master Pins: #402

- Precise Fitting Double/Twin Metal Pin with Plastic Sleeves and Rubber Caps
- State of the art twin pins with die quards
- Added stability which eliminates rotation
- Extremely precise, no distortion
- Easily used with Pindex machine

(Box of 1.000 sets)



#2 Medium Aluminum Dowel Pins:#406



(Pack of 1.000pcs)

Carbide Drills



For pin settings (Pack of 3pcs)

Dowel Pin Locators: #405



- Flexible silicon Pin locator.
- Easy removal of your preparation without damage.

(Pack of 1,000pcs)

Reverse Dowel Pins:

Economical Plastic Stabilizer (Pack of 1,000pcs)

Mandrels:

Arbor Band:

(3/32" shank)



BesQual Brushes: #207

Finest and Durable Quality



Porcelain Brush Set with Cap: #208 (Set of 5pcs)



- ➤ Brush Hair protected by cap
- ➤ Easy to maintain and carry
- #1 BC-002A Staining & Glazing Brush
- #3 BC-003A Build-up Brush
- #5 BC-004A Build-up Brush
- #6 BC-005A Build-up Brush
- #4F BC-006A Paste Brush

Bristle Brush: (12pcs/box or 144/gross)



#209

Size: #11(11/16 inches)

Soft: Gray Std. Stiff: White X-Stiff: Black

#210

Size: #12(3/4 inches)

Soft: Gray Std. Stiff: White X-Stiff: Black





6A - 2.50 dia #211-250

6B - 2.25 dia #211-225

6C - 2.00 dia #211-200

Wooden Center, Top Quality & Long Lasting (12pcs or 144pcs)

Key chain:



(Colors do not fade) Silver #501-010 Gold #501-020

Offset Saw and Blades:



#503-011

Chrome plated steel frame with aluminum handgrip. Use for sectioning models.

Blade Length: 5 inches

Fits any Saw Frame that accepts 5 inches pinned blades.

(Box of 100pcs)

Honeycomb Firing Tray with Pins:



(Set of 2 trays) #504-020

with 20 Ceramic Pins (Set of 2 trays) #504-025

Size: (D x H) 3.125" x 0.412" / 80mm x 10mm

A honeycomb is use as a platform to fire crowns and bridges; it has 4 slots for easy handling in and out of the furnace. The metal or ceramic pins are used for support.











Ceramic Firing Pegs:

Ceramic firing pegs are use for holding crowns and bridges in a porcelain furnace.

(Pack of 12pcs)



Bicuspids #505-023

Non Precious Metals:



SOFT CERAMIC ALLOY #601-NP31



SHOT #601-NP33



#601-NP32



#601-NP34



#601-NP35 1/32" Strip (1/2 oz Pkg.)

Felt Wheel

Muslin Buffs:



Mini White Muslin Buff Yellow Muslin Buff White Muslin Buff White Muslin Buff

12/Pkg. - 1" x 16ply #212-M116 12/Pkg. - 4" x 40ply #212-Y440 12/Pkg. – 3" x 30ply #212-w330 12/Pkg. – 4" x 40ply #212-w440

Ideal for polishing metals and plastics.

Size: 1" x 0.20" (25 x 5mm) 144pcs/box #213-F144 288pcs/box #213-F288

Polishing Compounds: (~1 pound per bar)




Tripoli Fast-Cut: #214-051 Excellent for removing scratches on metals and denture materials by fast cutting. Suggested use prior to final polishing.

Pink High-Shine: #214-052 Use to create high shine for denture materials. Best selling polish for acrylics.

White High-Shine: #214-053 Delivers high gloss with slight amount of cut. Specially recommended for metals and it works clean and dry.

Yellow High-Shine: #214-054 Exceptionally high lusters. Compound is recommended for final finish for all metals and denture materials

Articulators:



Disposable Plastic Articulators #604-BLK



(Package of 100sets)

Magnetic Articulator





Acrylic Non-Stick Cups



Small: 11/4"dia x 1"h #506-SM11 Medium: 2"dia x 11/2"h #506-MD21

Wet Ceramic Tray: #507

- Unused porcelain can be stored and reused later.
- Saves porcelain and time.
- The moisture retention function ensures the porcelain mass always receives the correct amount of water and remains in a workable state.

Flexible Mixing Bowls:



Small: 31/4"dia x 21/4"h #505-S32 Medium: 41/2"dia x 23/4"h #505-M42 Large: 5"dia x 31/2"h #505-L53 X-Large: 5½"dia x 4¼"h #505-x54

Adhesive & Activators:



1oz 2oz 2oz 16oz


Adhesive (Cyanoacrylates)

2 oz > Thin for Plastic Articulators #508-TN1 #508-TN2 Medium for Dowel Pins #508-MD1 #508-MD2 > Thick for Broken Metals #508-TK1 #508-TK2 #508-GL1 #508-GL2 Gel Type


Activators	2 oz	#509-02
Dries Adhesive Instantly with	8 oz	#509-08
Mist Spray	16 oz	#509-16
* (16oz Refill only without Spray)		

Diamond Coated Trimmer Wheels:

- With embedded diamonds, it cuts faster. smoother & quieter than a regular stones or abrasives wheels without downtime
- > It will not bend or rust like aluminum.
- Self-cleaning and it last longer than regular trimming wheels.



#111-T12



Fibre Cut Discs: (Econo Cutters) Shatterproof, 1/32" thick reinforced discs cut everything from hard metals to soft acrylics.

#111-T10

FC001: 4"x1/32"x1/4" (101x0.8x6.3mm) #112-101 FC002: 2-1/2x1/32x1/4" (63x0.8x6.3mm) #112-063

FC003: 1-1/2 x0.032x1/16" (38x0.8x1.6mm) #112-038

Model Formers for Plastic Articulators:





Heavy Duty - Large Jaw

For cutting through plaster Length: 8 inches

4 inch length stainless steel.

Metal Caliper – Pointed Tips #513-010 Wax Caliper - Rounded Tips #513-020



Upper Flask #605-100 Lower Flask #605-200



Reline Jig #607



#606 2 Flask Compressor

Big Vibrator #901



AMP: 300W Fuse: 2A **Weight:** 6 kg **Dimension:** 11" x 8.6" x 6"

- 3 Rings Capacity with 2 frequencies
- > Powerful vibration and wide tabletop offers simultaneous work for any rings.
- Detachable tabletop for easy cleaning.

Small Vibrator #903

4.25" Round Top



Compact design with quiet motor and variable speed.

Medium Vibrator #902

6 " x 8" Tabletop



Compact design and heavy duty with quiet motor and variable speed.

Waxing Unit #702



- Adjustable Heat Control
- Front panel light indicator
- > 3 Compartment



<u>Digital Wax Heater</u> BesQual-E100 #701

- > Easy to use and operate.
- Heats wax quickly and maintains in its liquid condition without any change in physical properties.
- Build-in digital CPU circuit to preset and maintain desired temperature accurately and precisely.
- > Operates both in °F or °C
- 4 Compartment

Control CONTRO

Wax Heater BesQual-E350 #721

- Built-in thermostat to accurately maintain desired temperature.
- Easy to use and operate.
- Heats wax quickly and maintains in its liquid condition without any change in physical properties.
- Automatic heater-on indicator LED (LED turns off when reaching preset temperature).
- 4 Compartment




Digital Dipping Pot BesQual-S200 #703

- This is a wax pot designed to melt a variety of wax in the dental industry.
- The wax dipping pot can heat wax quickly and keep in its liquid condition without any change in physical properties.
- Excellent heat conductivity, lasting service life, and easy to use.
- > Built-in memory chip to memorize the previous working
- temperature even after turning off power.
- Operates both in Celsius or Fahrenheit (°C/°F).
- Automatic heater-on indicator LED. (LED off when reaching the preset temperature)

Fire-Free Burner BesOual-S600 #722

- No more Alcohol or Gas burners.
- Portable and immediately operational.
- Safety indicator automatically prevents carver from overheating.
- > 5 removable cover cap included for easy clean-up.
- > Eliminates risk of fire and getting burned





BesQual S500 w/ 2 pens (6tips) #704

- > 6 tips provides variety of usage
- > Silicon grip keeps your hand comfortable
- ➤ Pens stay cool
- Dual power control allows separate controls.
- Digitally displays temperature for accurate control
- Memory function stores your previous working temperature
- ➤ Operates both in °F or °C
- > Automatically calibrates voltages





BesQual E420 with 1 pen (2tips) #705

- Silicon grip keeps the pen stay cool and comfortable usage
- Digitally displays temperature for accurate control
- Memory function stores previous working temperature
- Operates both in °F or °C
- #1 & #3 tips included

Additional tips available separately.





Wax Carvers & Spatulas: #706



Porcelain Sculpturing Instruments:





Inlay Wax: #708-010

Favored by dental labs for the bridgework. Exceptional durability provide cast in extremely thin sections and resists deformation from repeated handling. Easily carved out and burnout cleanly without residue



Dipping Wax: #708-020

Systematically compounded for dipping the basic tooth pattern to build-up the crown. Extremely tough, durable and readily shaped to carved. Resist warping and breaking.

Molar Clasp

#709-41

Wax Sprues: (Package of 500pcs)

Wax Patterns: (10sheets/200pcs)




SMALL Direct Sprue 12 gauge w/ reservoir #708-031

MEDIUM Direct Sprue 10 gauge w/ reservoir #708-032

LARGE Direct Sprue 8 gauge w/ reservoir

Ring Straight #709-42

Mesh Wax: #710



retention in partial denture wax-ups.

Wire Wax:



Available Sizes:

o 6 gauge #711-06

o 8 gauge #711-08

o 10 gauge #711-10

o 12 gauge #711-12

Roll of ½ lb (250g)

Base Plate Wax: #712



All purpose, extra tough. Highly flexible, easily shaped. Carves without chipping. Boils out cleanly. **Size:** 6.36 x 3.54 x 0.06in (165 x 90 x 1.5mm)

Available in: 1.1 pound box or 5 pounds box

Carving Wax #713

Weight: 100g (3.5oz) Size: 3.82 x 0.835in. Color: Blue



Dipping Wax #714

Weight: 100g (3.5oz) Size: 3.82 x 0.835in. Color: Yellow



Inlay Wax #715

Weight: 100g (3.5oz) Size: 3.82 x 0.835in. Color: Hard Green



Margin Wax #716

Weight: 100g (3.5oz) Size: 3.82 x 0.835in.

Color: Red

Clay Crucibles:



Non-Contaminating High Quality Clay Crucibles.

- Does not need pre-heating prior to use.
- > Designed to withstand high temperature.
- > Easily melt metals by concentrating heat

Quartz Crucibles:



Fits any standard type Kerr and Emesco Casting Machine Non-contaminating



Casting Machine: #905

Spring-operated with a precision stainless cast arm and die-cast barrel

- Heavy-duty spring
- Diameter (arm): 370mm Height: 270mm
- Weight: 15.6 lbs

High Speed Air Handpiece: #801



350,000 rpm especially for laboratory use which is featured suitable for the most efficient high-speed laboratory handpiece assuring maximum dexterity when operating. This handpiece is well balanced with high torque designed to meet the demand of up - to - date dental laboratory technique of porcelain tooth, adjustment of masticating surface or occlusion and plate grinding.

This handpiece is very quiet without vibration. The turbine is cartridge for guick change.

Handpiece Weight: 80g. Made in Japan (Air control kit and foot switch is not available).

Handpieces:

(All Marathon Control Boxes accept any of the handpieces shown below except BM50)

SH37SN #802

(45,000rpm)

H37SN1 #803 (40,000rpm)

H35SP #804 (35,000rpm)



M33E (E Type Motor only) 35,000rpm #805



BM50 #806 (Brushless) 50,000rpm



Marathon N1: #809



Speed: 2,000 to 45,000rpm

Strong torque and continuously variable speed control.

Dual Handpiece connector operates one handpiece at a time.

Forward and reverse switch.

Automatic stop and reset when the circuit is overloaded.

Feed back circuitry produces more power.

No noise, vibration & heat after long hours of operation.

Complete set includes:

[1]-Control Box [1]-SH37S Handpiece [1]-Variable Foot Pedal [1]-HP Holder

Marathon Handy 700: #815

- Maximum Torque set mode
- Digital Speed Display (RPM)
- Vertical & portable type
- > Self diagnosis system & Error code display function
- > Auto cruise speed function
- > Convenient magnetic bur holder
- > Maximum rotation speed display set mode
- > Variable speed control by hand dial or foot pedal
- > Built-in handpiece cradle
- > Dual control system both brushless and carbon brush motor

SDE-BM50 Brushless Handpiece

SPEED: 1,000 ~ 50,000 rpm **MAX. TORQUE:** 7.8N cm

MAX. POWER: 230W



BesOual 2: #811



- Speed: 0 ~ 35,000rpm
- ➤ Powerful torque and continuously variable speed control
- Forward & reverse switch
- Foot pedal for variable speed control
- Optional on/off foot switch
- Refined design and compact size
- High quality, fashionable new machine.
- A built in handpiece cradle and bur stand.
- Automatic safety overload protection svstem
- No heat after long hours of operation.

Complete set includes:

[1]- Control Box [1]- H37SN Handpiece [1] - Variable Foot Control [1]- H/P Cradle

Marathon 3: #814



- Speed: 0 to 35,000rpm Compact and portable size Variable speed by hand control
- On/Off foot switch
- Forward & reverse switch Light weight & compact size
 - No noise, vibration or heat after a long hours of operation, ensuring smooth operation

Complete set includes:

[1]- Control Box [1]- H37SN Handpiece [1]- On/Off Foot Switch [1]- H/P Holder


Marathon N7R: #812



- Speed: 0 to 45,000rpm
- Powerful torque and continuous variable speed control.
- Built in handpiece cradle.
- Vertical or Horizontal style.
- No heat after long hours of operation.
- > Forward/Reverse direction for efficiency.
- > Automatic safety overloads protection system (Reset function).
- Maximum speed Foot control function for variable rotation.

Complete set includes:

[1]- Control Box [1]- SH37SN Handpiece [1] - Variable Foot Control [1]- H/P Cradle



Major Parts for Electric Micromotors and Handpiece:

Armatures Bearings Carbon Brushes Chucks Electric Cords Foot Pedals All other parts are available

Marathon 103: #906-103



Surveyor II: #906-II



Surveyor & Milling Machine

- Complete Set with handpiece holder
- > Large scale and convenience
- Precise angle
- > Exchangeable spindle, model table, plaster





Dimensio				
W	D			

Dimension (mm)				
W	D	Н		
175	169	257		

Zirconia Blocks #950



- High Quality with Economical Price
- Excellent marginal fitness due to uniform
- High Translucency for aesthetic restorations
- High Strength 1,100mpa
- Variety of sizes
- FDA Registered

Zirconia Abutments #951



Material: ZrO₂

(Yttrium Oxide-Stabilized Zirconia)

Composition:

ZrO₂ 94.20 wt% ≥

Y₂O₃, HfO₂ 05.45 wt%

Surgical Blades #990 (Stainless Steel Blades)



Replacement Blocks for major brands (CAD/Cam and Hand Milling System).





